



## LaunchPad

#### Overview

The AB Dynamics LaunchPad is a compact powered platform designed to carry Vulnerable Road User (VRU) targets for ADAS development and testing. With precise speed control and full path-following capability, it can be used with pedestrian, cyclist and moped dummies. Using AB Dynamics' advanced Synchro capabilities allows its motion to be accurately synchronised with the test vehicle and other ADAS targets.





### **Features**

- Compatible with a range of official Euro NCAP VRU targets
- Self-propelled path-following platform for total test flexibility
- 4-wheel-drive 4-wheel-steer for ultimate manoeuvrability
- Onboard D-GPS motion pack and Synchro system
- Rapid Battery Swap system via side ramps no need to remove the target
- Ultra low-profile (65mm)\* and shallow sloping sides for low radar return and smooth over-run
- Same familiar software as other AB Dynamics products











Cyclist Target

Adult dummy

Child Dummy

Moped Target

Motorcycle Target

## Specifications

|                                 | LAUNCHPAD 50  | LAUNCHPAD 60   | LAUNCHPAD 60 HD<br>WITH HD TOP PANEL FITTED                                    |
|---------------------------------|---|--|--|
| Dimensions (mm)                 | 917 x 875 x 65  | 917 x 875 x 65   | 917 x 875 x 75   |
| Weight (approx.)                | 40kg  | 40kg   | 45kg   |
| Weather<br>resistance           | Fully sealed electronics,<br>waterproof to IP67                                 | Fully sealed electronics,<br>waterproof to IP67                                | Fully sealed electronics,<br>waterproof to IP67                                |
| Maximum speed                   | 50km/h  | 60km/h   | 60km/h   |
| Max. braking (excluding target) | 5m/s <sup>2</sup>   | 6m/s <sup>2</sup>  | 5m/s2  |
| Payload                         | Pedestrian, cyclist,<br>motorbike,<br>moped, animal. Maximum<br>15kg            | Pedestrian, cyclist,<br>motorbike,<br>moped, animal. Maximum<br>15kg           | Pedestrian, cyclist,<br>motorbike,<br>moped, animal. Maximum<br>15kg           |
| Batteries                       | Twin high-capacity LiFePO4<br>battery packs 400wh, Rapid<br>Battery Swap system | Twin high-capacity Li-ion<br>battery packs 540Wh, Rapid<br>Battery Swap system | Twin high-capacity Li-ion<br>battery packs 540Wh, Rapid<br>Battery Swap system |
| Drive-over capacity             | 1000kg per wheel  | 1000kg per wheel   | 3550kg per wheel   |

## Software

# Includes AB Dynamics RC Software, path-following and Synchro interface

At the heart of the LaunchPad platform is a Power controller running AB Dynamics' industry-standard Robot Controller RC Software. An onboard TrackFi radio shares position data with other AB Dynamics controllers via the Synchro interface. Programming the trajectory of the Launchpad is simple thanks to the graphical path generation utility. Complex scenarios with multiple moving objects can be created and run quickly and easily.





